

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A




METALLURGICAL AND MATERIALS ENGINEERING

University of Pittsburgh .
Pittsburgh, Pennsylvania 15261







11 12 016

RE COPY

ASSOCIATION OF POLYPHOSPHAZENES IN SOLUTION

S. V. Peddada and J. H. Magill Metallurgical and Materials Engr. Department University of Pittsburgh Pittsburgh, PA 15261

Submitted for publication to Macromolecules



DISTRIBUTION STATEMENT A

Approved for public release: Distribution Unlimited

17. DISTRIBUTION STATEMENT (of the obstract effored in Block 20, if different from Report)

Unlimited distribution

18. SUPPLEMENTARY NOTES

Submitted to Macromolecules, October 1982.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Polyphosphazene, Association in solution, Infrared Spectroscopy

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Intrinsic viscosity data on poly[bis(trifluoroethoxy)phosphazene] (PBFP) in acetone exhibited negative slopes in Huggin's-Kraemer's plots. Solutions of PBFP at concentrations of 0.3, 0.4, 0.6 and 0.8 g/100 ml were examined in transmission with an FTIR spectrometer. The increase in absorptivity of the solutions was much less than proportional to the increase in polymer concentration indicating that the calculated extinction coefficient decreased as the polymer concentration increased, implying polymer association in solution.

DD 1 JAN 73 1473 EDITION OF 1 NOV 45 IS OBSOLETE S/N 0102-LF-014-6601


SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered

ABSTRACT

Intrinsic viscosity data on poly[bis(trifluoroethoxy)phosphazene]

(PBFP) in acetone exhibited negative slopes in Huggin's - Kraemer's plots.

Solutions of PBFP at concentrations of 0.3, 0.4, 0.6 and 0.8 g/100 ml were examined in transmission with an FTIR spectrometer. The increase in absorptivity of the solutions was much less than proportional to the increase in polymer concentration, indicating that the calculated extinction coefficient decreased as the polymer concentration increased, implying polymer association in solution.



Association of Polyphosphazenes in Solution

Since the synthesis of linear stable polyphosphazenes in 1965 by Allcock et al⁽¹⁾ these polymers have received much attention. Still, some aspects of polyphosphazene research are controversal because of their unusual behavior. For instance, dilute solution viscosity analysed by the Huggins⁽²⁾ and Kraemer⁽³⁾ equations do not exhibit⁽⁴⁻⁶⁾ the anticipated (theoretical) difference of 0.5 between the Huggin's constant (k') and the Kraemer constant (k"). Mention has been made of this discrepancy by Hagnauer and Schneider⁽⁴⁾ when working with poly(fluoroalkoxyphosphazenes) using freon-ether as a solvent. Non-linear Huggins-Kraemer plots with negative slopes were reported and the anomalous behavior was attributed to the presence of adventitious polar groups such as P-OH, P-C1 P-NH- on the main polymer backbone. It was stated that relatively small amounts of acetone (9.09% V/V) inhibited or at least diminished this anomalous behavior.

Other workers (6) have performed intrinsic viscosity, osmotic pressure and light scattering measurements on aryloxy type phosphosphazenes. Based upon their light scattering measurements they remarked that they were unable to rule out the possibility that their polymers may exist in some kind of supermolecular structure in solution.

Since our intrinsic viscosity measurements of poly(bistrifluoroethoxyphosphazene)

PBFP, in acetone exhibited Huggins-Kraemer plots with negative slopes at all

polymer concentrations, an attempt was made to monitor changes

in polymer aggregation in solution by infrared spectroscopy using a Digilab

PTIR instrument. The spectra of PBFP polymers in acetone at concentrations ranging

from 0.3 to 0.8 g/100 ml. in sodium chloride cells were examined in the transmission

mode. Difference spectra between the polymer solution and the acetone was obtained

for each solution in the spectral window between 800 and 1100 cm⁻¹ which was selected after the overall spectrum of PBFP mixed and pelletized with KBr. was recorded in transmission, using a Beckmann IR9 spectrometer. This transmittance curve (400-4000 cm⁻¹) is illustrated in Figure 1 and the solution data are displayed in Figure 2. Particular attention is focussed upon the 965 cm⁻¹ band of the P-O-CH₂-CF₃ group since anomalous intensity changes in this region should directly reflect aggregation behavior.

The molar extinction coefficient, ϵ , characteristic of the polymer in solution is plotted as a function of polymer concentration in Figure 3. This plot reveals that ϵ is strongly dependent upon concentration so that the Beer-Lambert law

$$A = -\log T = \epsilon C \ell$$

is not obeyed. In this equation A and T are absorbance and transmission parameters, ϵ is the extinction coefficient, C is the concentration of solution and ℓ is the is the path length.

Association of the type: $n(A) \ge (A)n$ occurs since ϵ is not independent of concentration, but actually decreases as the polymer concentration in acetone increases, Since trifluoroethoxy groups are polar both inter-and intra-molecular interaction must be present.

Acknowledgement

Work supported in part by the Office of Naval Research; Contract #ONR 356-644. The authors also thank Professor D. M. Hercules for F.T.I.R. facilities.

BIBLIOGRAPHY

- 1. H. R. Allcock and R. L. Kugel, Journal of American Chemical Society, Vol. 98 (1965), p. 4216.
- 2. M. L. Huggins, Journal of American Chemical Society, Vol. 64 (1942), p. 2716.
- 3. E. O. Kraemer, Industrial and Engineering Chemistry, Vol. 30 (1938), p. 1200.
- 4. G. L. Hagnauer and N. S. Schneider, Journal of Polymer Science, Part A-2, Vol. 10 (1972), p. 699.
- 5. A. L. Andeady and J. E. Mark, European Polymer Journal, Vol. 17 (1981), p. 323.
- 6. D. W. Carlson, E. O'Rourke, J. K. Valaitis and A. G. Altenau, Journal of Polymer Science, Polymer Chemistry Edition, Vol. 14 (1976), p. 1379.
- 7. N. B. Colthup, L. H. Daly and S. E. Wilberley, Introduction to Infrared and Raman Spectroscopy, (New York: Academic Press 1975).

Figure Legends

- Figure 1. Infrared spectra of PBFP in the transmission mode. The principal peak assignments are
 - 1. $P-OCH_2CF_3$ ()
 - 2. P-OCH₂CF₃
 - 3. P-N
 - 4. $P-OCH_2CF_3$ ()
- Figure 2. FTIR transmission spectra of solutions of PBFP in acetone.

 Solution concentrations are:
 - A. 0.03 g/dl
 - B. 0.04 g/dl
 - C. 0.06 g/d1
 - D. 0.08 g/dl
- Figure 3. Molar extinction coefficient, ϵ , (arbitrary units) versus concentration for PBFP in acetone.




Figure $\frac{1}{2}$. Infrared Spectra of PBFP in Transmittance Mode.The Principal Peak Assignments are 1)P+OCH₂CF₃ 1)P+OCH₂CF₃ 2)P-OCH₂CF₃ 3)P-N and 4)P-OCH₂CF₃.




Figure ². FTIR spectra of solutions of PBFP in acetone, (transmission mode).A, solution concentration = 0.03 g/dl; B:0.04 g/dl; C:0.06 g/dl and D:0.08 g/dl.




Figure 3 . Extinction coefficient versus concentration for solutions of PBFP in acetone.

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	No. Copies		No. Copies
Office of Naval Research		U.S. Army Research Office	
Attn: Code 472		Attn: CRD-AA-IP	
800 North Quincy Street		P.O. Box 1211	
Arlington, Virginia 22217	2	Research Triangle Park, N.C. 27709	1
ONR Branch Office		Naval Ocean Systems Center	
Attn: Dr. George Sandoz		Attn: Mr. Joe McCartney	_
536 S. Clark Street		San Diego, California 92152	1
Chicago, Illinois 60605	1	Warral Harrison Contain	
O.T. Amas 0551		Naval Weapons Center	
ONR Area Office		Attn: Dr. A. B. Amster,	
Attn: Scientific Dept.		Chemistry Division	,
715 Broadway	•	China Lake, California 93555	1
New York, New York 10003	1	Nevel Civil Facincevine Laborates	
OND Wootern Perional Office		Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko	
ONR Western Regional Office 1030 East Green Street		Port Hueneme, California 93401	1
Pasadena, California 91106	1	rott ndeneme, california 93401	ı
rasadena, Calliornia 91100	•	Department of Physics & Chemistry	
ONR Eastern/Central Regional Office		Naval Postgraduate School	
Attn: Dr. L. H. Peebles		Monterey, California 93940	1
Building 114, Section D		induscry, our results 75740	•
666 Summer Street		Dr. A. L. Slafkosky	
Boston, Massachusetts 02210	1	Scientific Advisor	
5 05500 , 1	_	Commandant of the Marine Corps	
Director, Naval Research Laboratory		(Code RD-1)	
Attn: Code 6100		Washington, D.C. 20380	1
Washington, D.C. 20390	1	- '	
•		Office of Naval Research	
The Assistant Secretary		Attn: Dr. Richard S. Miller	
of the Navy (RE&S)		800 N. Quincy Street	
Department of the Navy		Arlington, Virginia 22217	1
Room 4E736, Pentagon			
Washington, D.C. 20350	1	Naval Ship Research and Development Center	
Commander, Naval Air Systems Command		Attn: Dr. G. Bosmajian, Applied	
Attn: Code 310C (H. Rosenwasser)		Chemistry Division	
Department of the Navy		Annapolis, Maryland 21401	1
Washington, D.C. 20360	1	•	
		Naval Ocean Systems Center	
Defense Technical Information Center		Attn: Dr. S. Yamamoto, Marine	
Building 5, Cameron Station		Sciences Division	
Alexandria, Virginia 22314	12	San Diego, California 91232	1
Dr. Fred Saalfeld		Mr. John Boyle	
Chemistry Division, Code 6100		Materials Branch	
Naval Research Laboratory		Naval Ship Engineering Center	
Washington, D.C. 20375	1	Philadelphia, Pennsylvania 19112	1
		• • • • • • • • • • • • • • • • • • • •	

472:GAN:716:ddc 78u472-608

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	No. Copies
Dr. Rudolph J. Marcus Office of Naval Research Scientific Liaison Group American Embassy APO San Francisco 96503	1
Mr. James Kelley DTNSRDC Code 2803 Annapolis, Maryland 21402	1

TECHNICAL REPORT DISTRIBUTION LIST, 356B

	No. Copies		No. Copies
Dr. T. C. Williams Union Carbide Corporation Chemical and Plastics		Douglas Aircraft Company Attn: Technical Library Cl 290/36-84	
Tarrytown Technical Center Tarrytown, New York	1	AUTO-Sutton 3855 Lakewood Boulevard Long Beach, California 90846	1
Dr. R. Soulen Contract Research Department Pennwalt Corporation		NASA-Lewis Research Center Attn: Dr. T. T. Serafini, MS 49-1	
900 First Avenue King of Prussia, Pennsylvania 19406	1	21000 Brookpark Road Cleveland, Ohio 44135	1
Dr. A. G. MacDiarmid University of Pennsylvania Department of Chemistry		Dr. J. Griffith Naval Research Laboratory Chemistry Section, Code 6120	
Philadelphia, Pennsylvania 19174	1	Washington, D.C. 20375	1
Dr. C. Pittman University of Alabama Department of Chemistry		Dr. G. Goodman Globe-Union Incorporated 5757 North Green Bay Avenue	
University, Alabama 35486	1	Milwaukee, Wisconsin 53201	1
Dr. H. Allcock Pennsylvania State University Department of Chemistry	•	Dr. E. Fischer, Code 2853 Naval Ship Research and Development Center	
University Park, Pennsylvania 16802 Dr. M. Kenney	1	Annapolis Division Annapolis, Maryland 21402	1
Case-Western University Department of Chemistry	•	Dr. Martin H. Kaufman, Head Materials Research Branch (Code 4542)
Cleveland, Ohio 44106 Dr. R. Lenz	1	Naval Weapons Center China Lake, California 93555	1
University of Massachusetts Department of Chemistry			
Amherst, Massachusetts 01002	1		1
Dr. M. David Curtis University of Michigan Department of Chemistry		Dr. C. Allen	•
Ann Arbor, Michigan 48105 Dr. M. Good	1	University of Vermont Department of Chemistry Burlington, Vermont 05401	1
Division of Engineering Research Louisiana State University		Dr. D. Bergbreiter	•
Baton Rouge, Louisiana 70803	1	Texas A&M University Department of Chemistry College Station, Texas 77843	1

TECHNICAL REPORT DISTRIBUTION LIST, 356B

	No. Copies
Professor R. Drago Department of Chemistry University of Illinois Urbana, Illinois 61801	1
Dr. F. Brinkman Chemical Stability & Corrosion Division	
Department of Commerce National Bureau of Standards Washington, D.C. 20234	1
Professor H. A. Titus Department of Electrical Engineering Naval Postgraduate School Monterey, California 93940	1
COL R. W. Bowles, Code 100M Office of Naval Research 800 N. Quincy Street Arlington, Virginia 22217	1
Professor T. Katz Department of Chemistry Columbia University	
New York, New York 10027 Professor James Chien Department of Chemistry	1
University of Massachusetts Amherst, Massachusetts 01002	1
Professor Malcolm B. Polk Department of Chemistry Atlanta University Atlanta, Georgia 30314	1

